

HIRSCHMANN MOBILITY

CELLULAR (2G/3G/4G) Magnetic Antenna



CEL 7026 RD M/series

Pt no.

955-006-...

- 2G through 4G / LTE service

Subject to alterations

Technical data

Dimensions	∅ 30 mm x 91.4 mm
Housing Materials	ASA+PC
Weight	ca.71g
Temperature range	-40→+80°C
Protection class	IP66(acc. IEC60529)


CELLULAR

Frequency range	LTE (low): 698 - 862 MHz LTE (high): 2305 - 2690 MHz GSM 850: 824 - 894 MHz GSM 900: 880 - 960 MHz GSM 1800: 1710 - 1880 MHz GSM 1900: 1850 -1990 MHz UMTS: 1920 - 2170 MHz
Impedance	50 Ohm
Load capacity	max. 10 W pulsed acc. GSM standard
Return loss	> 12dB
Gain	3 dBi

Product name	Order code	Cable	Connector
		RG 174 Low Loss	
CEL 7026 RD M/FME/2.5	955-006-001	2500 mm	FMEf
CEL 7026 RD M/SMA/2.5	955-006-002	2500 mm	SMAm

Subject to alterations

Technical drawings



Installation




Fig. 1




Fig. 2





Fig. 3


Antenna diagrams

Typical VSWR


LTE/Cellular Low Band



Cellular High Band









LTE High Band



Antenna diagrams

Typ. radiation pattern (H-plane)



www.te.com/hirschmann-mobility
hirschmann-mobility@te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks.
 Hirschmann is a trademark.

LTE, UMTS and GSM are trademarks.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2019 TE Connectivity Ltd. family of companies All Rights Reserved.